

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

| | | |
|---------|-----------------------|----------|
| County: | City: Ogallala | Village: |
|---------|-----------------------|----------|

Location Description:
East 2nd Street from Spruce to East B, East B from 2nd to Hiway 30 (East 1st)

Existing Surface Type and Structures: *(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)*
concrete

| | |
|--|---|
| Average Daily Traffic: 20 = , 20 = | Classification Type: <i>(As shown on Functional Classification Map)</i> collector |
|--|---|

PROPOSED IMPROVEMENT

| | | | |
|-------------------------|------------------|-------------------------|----------------------|
| Design Standard Number: | Surfacing | Thickness: 8" | Width: 40' |
|-------------------------|------------------|-------------------------|----------------------|

- | | | | |
|-------------------------------------|---|---|--|
| <input type="checkbox"/> Grading | <input checked="" type="checkbox"/> Concrete | <input type="checkbox"/> Right of Way | <input checked="" type="checkbox"/> Lighting |
| <input type="checkbox"/> Aggregate | <input checked="" type="checkbox"/> Curb & Gutter | <input type="checkbox"/> Utility Adjustments | <input type="checkbox"/> |
| <input type="checkbox"/> Armor Coat | <input checked="" type="checkbox"/> Drainage Structures | <input type="checkbox"/> Fencing | <input type="checkbox"/> |
| <input type="checkbox"/> Asphalt | <input type="checkbox"/> Erosion Control | <input checked="" type="checkbox"/> Sidewalks | <input type="checkbox"/> |

| | | | |
|----------------------------------|----------------|---------|---------------|
| Bridge to Remain in Place | Roadway Width: | Length: | Type: |
| New Bridge | Roadway Width: | Length: | Type: |
| Box Culvert | Span: | Rise: | Length: Type: |
| Culvert | Diameter: | Length: | Type: |

Bridges and Culverts Sized Yes N/A Hydraulic Analysis Pending

Other Construction Features:
Remove current pavement and replace with new concrete and utilities

)This project has been let for 2014 construction

| ESTIMATED COST <i>(in Thousands)</i> | ★ COUNTY | ★ CITY | ★ STATE | ★ FEDERAL | ★ OTHER | TOTAL |
|---|----------|--------|---------|-----------|---------|-------|
| ★ OPTIONAL | | | | | | |

| | |
|--|-----------------------------------|
| Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> .3 | Project No.: M-463(137) |
|--|-----------------------------------|

| | | |
|------------------------------|--|---------------------------|
| Signature: <i>Wayne Wood</i> | Title: Street Superintendent (S- | Date: 2/11/1999 |
|------------------------------|--|---------------------------|

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

| | | |
|---------|-----------------------|----------|
| County: | City: Ogallala | Village: |
|---------|-----------------------|----------|

Location Description:
 Various asphalt streets. Can be seen on map marked in red and listed as M 463(178) and M-463 (174). To be done on a priority basis and when funds available.

Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge)
asphalt

| | |
|--|--|
| Average Daily Traffic: 20 = , 20 = | Classification Type: (As shown on Functional Classification Map) residential |
|--|--|

| PROPOSED IMPROVEMENT | | | |
|-------------------------|------------------|------------|-------------------|
| Design Standard Number: | Surfacing | Thickness: | Width: 40' |

- | | | | |
|---|---|--|-----------------------------------|
| <input type="checkbox"/> Grading | <input checked="" type="checkbox"/> Concrete | <input type="checkbox"/> Right of Way | <input type="checkbox"/> Lighting |
| <input type="checkbox"/> Aggregate | <input checked="" type="checkbox"/> Curb & Gutter | <input type="checkbox"/> Utility Adjustments | <input type="checkbox"/> |
| <input type="checkbox"/> Armor Coat | <input type="checkbox"/> Drainage Structures | <input type="checkbox"/> Fencing | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> Asphalt | <input type="checkbox"/> Erosion Control | <input type="checkbox"/> Sidewalks | <input type="checkbox"/> |

| | | | |
|----------------------------------|----------------|---------|---------------|
| Bridge to Remain in Place | Roadway Width: | Length: | Type: |
| New Bridge | Roadway Width: | Length: | Type: |
| Box Culvert | Span: | Rise: | Length: Type: |
| Culvert | Diameter: | Length: | Type: |

| | | |
|-----------------------------------|---|---|
| Bridges and Culverts Sized | <input type="checkbox"/> Yes <input type="checkbox"/> N/A | <input type="checkbox"/> Hydraulic Analysis Pending |
|-----------------------------------|---|---|

Other Construction Features:
 2" overlay, fix any curb, adjust manholes and valves. These projects to be done in stages as funds are available. Combines M-463(178) and M-463 (174)

| ESTIMATED COST (in Thousands) | ★ COUNTY | ★ CITY | ★ STATE | ★ FEDERAL | ★ OTHER | TOTAL |
|----------------------------------|----------|--------|---------|-----------|---------|---------|
| ★ OPTIONAL | | | | | | 175,000 |

| | |
|--|--|
| Project Length: (Nearest Tenth, State Unit of Measure) .30 | Project No.: M-463 (178) and M-463 (174) |
|--|--|

| | | |
|------------------------------|---|-------------------------|
| Signature: <i>Wayne Wood</i> | Title: Street Superintendent S-897 | Date: 12/16/2013 |
|------------------------------|---|-------------------------|

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

| | | |
|---------|-----------------------|----------|
| County: | City: Ogallala | Village: |
|---------|-----------------------|----------|

Location Description:
West 5th from O to East A

Existing Surface Type and Structures: *(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)*
asphalt and concrete

| | |
|--|--|
| Average Daily Traffic: 2007 = 1395, 20 = _____ | Classification Type: <i>(As shown on Functional Classification Map)</i> urban minor arterial |
|--|--|

PROPOSED IMPROVEMENT

| | | | |
|-------------------------|------------------|-------------------------|----------------------|
| Design Standard Number: | Surfacing | Thickness: 8" | Width: 40' |
|-------------------------|------------------|-------------------------|----------------------|

| | | | |
|---|---|---|--|
| <input type="checkbox"/> Grading | <input checked="" type="checkbox"/> Concrete | <input type="checkbox"/> Right of Way | <input checked="" type="checkbox"/> Lighting |
| <input type="checkbox"/> Aggregate | <input checked="" type="checkbox"/> Curb & Gutter | <input checked="" type="checkbox"/> Utility Adjustments | <input type="checkbox"/> |
| <input type="checkbox"/> Armor Coat | <input checked="" type="checkbox"/> Drainage Structures | <input type="checkbox"/> Fencing | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> Asphalt | <input type="checkbox"/> Erosion Control | <input checked="" type="checkbox"/> Sidewalks | <input type="checkbox"/> |

| | | | |
|----------------------------------|----------------|---------|---------------|
| Bridge to Remain in Place | Roadway Width: | Length: | Type: |
| New Bridge | Roadway Width: | Length: | Type: |
| Box Culvert | Span: | Rise: | Length: Type: |
| Culvert | Diameter: | Length: | Type: |

Bridges and Culverts Sized Yes N/A Hydraulic Analysis Pending

Other Construction Features:
 remove existing pavements and replace. Replace curb and sidewalks, install handicap ramps. Fix any utility deficiencies This project is scheduled for fall 2014 letting and construction in 2015.

| ESTIMATED COST <i>(in Thousands)</i> | ★ COUNTY | ★ CITY | ★ STATE | ★ FEDERAL | ★ OTHER | TOTAL |
|---|----------|--------|---------|-----------|---------|-------|
| ★ OPTIONAL | | 486628 | | 1946510 | | |

| | |
|--|------------------------------------|
| Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 1 mile | Project No.: M-463 (180) |
|--|------------------------------------|

| | | |
|------------------------------|---|------------------------|
| Signature: <i>Wayne Wood</i> | Title: Street Superintendent S-897 | Date: 2/18/2010 |
|------------------------------|---|------------------------|

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

| | | |
|--|---|--|
| County: | City: Ogallala | Village: |
| Location Description: Prospector from Highway 61 to County road east A | | |
| Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> concrete and asphalt | | |
| Average Daily Traffic: 2007 = 8215, 20 = | Classification Type: <i>(As shown on Functional Classification Map)</i> Collector | |
| PROPOSED IMPROVEMENT | | |
| Design Standard Number: | Surfacing | Thickness: 9" Width: 40' |
| <input type="checkbox"/> Grading | <input checked="" type="checkbox"/> Concrete | <input type="checkbox"/> Right of Way |
| <input type="checkbox"/> Aggregate | <input checked="" type="checkbox"/> Curb & Gutter | <input type="checkbox"/> Utility Adjustments |
| <input type="checkbox"/> Armor Coat | <input checked="" type="checkbox"/> Drainage Structures | <input type="checkbox"/> Fencing |
| <input type="checkbox"/> Asphalt | <input type="checkbox"/> Erosion Control | <input type="checkbox"/> Sidewalks |
| <input type="checkbox"/> Lighting | | |
| <input type="checkbox"/> | | |
| <input type="checkbox"/> | | |
| <input type="checkbox"/> | | |
| Bridge to Remain in Place | Roadway Width: | Length: Type: |
| New Bridge | Roadway Width: | Length: Type: |
| Box Culvert | Span: Rise: | Length: Type: |
| Culvert | Diameter: | Length: Type: |
| Bridges and Culverts Sized | <input type="checkbox"/> Yes <input type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending | |
| Other Construction Features: Remove current pavement and replace with new concrete. Replace existing ditch on north side with concrete pipe. | | |
| ESTIMATED COST <i>(in Thousands)</i> | ★ COUNTY | ★ CITY |
| ★ OPTIONAL | | |
| | ★ STATE | ★ FEDERAL |
| | | ★ OTHER |
| | | TOTAL |
| Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> .2 | Project No.: M-463(174) | |
| Signature: <i>Wayne Wood</i> | Title: Street Superintendent <i>S-897</i> | Date: 2/13/2007 |

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

| | | |
|---------|-----------------------|----------|
| County: | City: Ogallala | Village: |
|---------|-----------------------|----------|

Location Description:
East/West alley between East A and B and between 1st and 2nd

Existing Surface Type and Structures: *(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)*
concrete

| | |
|--|--|
| Average Daily Traffic: 20 = , 20 = | Classification Type: <i>(As shown on Functional Classification Map)</i> NA |
|--|--|

PROPOSED IMPROVEMENT

| | | | |
|-------------------------|------------------|-------------------------|----------------------|
| Design Standard Number: | Surfacing | Thickness: 8" | Width: 13' |
|-------------------------|------------------|-------------------------|----------------------|

| | | | |
|-------------------------------------|--|--|-----------------------------------|
| <input type="checkbox"/> Grading | <input checked="" type="checkbox"/> Concrete | <input type="checkbox"/> Right of Way | <input type="checkbox"/> Lighting |
| <input type="checkbox"/> Aggregate | <input type="checkbox"/> Curb & Gutter | <input type="checkbox"/> Utility Adjustments | <input type="checkbox"/> |
| <input type="checkbox"/> Armor Coat | <input type="checkbox"/> Drainage Structures | <input type="checkbox"/> Fencing | <input type="checkbox"/> |
| <input type="checkbox"/> Asphalt | <input type="checkbox"/> Erosion Control | <input type="checkbox"/> Sidewalks | <input type="checkbox"/> |

| | | | |
|----------------------------------|----------------|---------|---------------|
| Bridge to Remain in Place | Roadway Width: | Length: | Type: |
| New Bridge | Roadway Width: | Length: | Type: |
| Box Culvert | Span: | Rise: | Length: Type: |
| Culvert | Diameter: | Length: | Type: |

Bridges and Culverts Sized Yes N/A Hydraulic Analysis Pending

Other Construction Features:
Remove current pavement and replace with new concrete

| ESTIMATED COST <i>(in Thousands)</i> | ★ COUNTY | ★ CITY | ★ STATE | ★ FEDERAL | ★ OTHER | TOTAL |
|---|----------|--------|---------|-----------|---------|-------|
| ★ OPTIONAL | | | | | | |

| | |
|---|--------------------------------|
| Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> | Project No.: M-463(169) |
|---|--------------------------------|

| | | |
|------------|---|------------------------|
| Signature: | Title: Street Superintendent 5-897 | Date: 2/18/2003 |
|------------|---|------------------------|

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

| | | |
|---------|-----------------------|----------|
| County: | City: Ogallala | Village: |
|---------|-----------------------|----------|

Location Description:
West H from 1st to 10th

Existing Surface Type and Structures: *(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)*
asphalt and concrete

| | |
|--|---|
| Average Daily Traffic: 2007 = 1560, 20 = | Classification Type: <i>(As shown on Functional Classification Map)</i> urban collector |
|--|---|

| PROPOSED IMPROVEMENT | | | |
|-------------------------|------------------|------------|-------------------|
| Design Standard Number: | Surfacing | Thickness: | Width: 40' |

| | | | |
|---|---|---|--|
| <input type="checkbox"/> Grading | <input checked="" type="checkbox"/> Concrete | <input type="checkbox"/> Right of Way | <input checked="" type="checkbox"/> Lighting |
| <input type="checkbox"/> Aggregate | <input checked="" type="checkbox"/> Curb & Gutter | <input checked="" type="checkbox"/> Utility Adjustments | <input type="checkbox"/> |
| <input type="checkbox"/> Armor Coat | <input type="checkbox"/> Drainage Structures | <input type="checkbox"/> Fencing | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> Asphalt | <input type="checkbox"/> Erosion Control | <input checked="" type="checkbox"/> Sidewalks | <input type="checkbox"/> |

| | | | |
|----------------------------------|----------------|---------|---------------|
| Bridge to Remain in Place | Roadway Width: | Length: | Type: |
| New Bridge | Roadway Width: | Length: | Type: |
| Box Culvert | Span: | Rise: | Length: Type: |
| Culvert | Diameter: | Length: | Type: |

Bridges and Culverts Sized Yes N/A Hydraulic Analysis Pending

Other Construction Features:
Remove current pavement, replace with concrete, new sidewalks, curb and gutter, install handicap ramps.

| ESTIMATED COST <i>(in Thousands)</i> | ★ COUNTY | ★ CITY | ★ STATE | ★ FEDERAL | ★ OTHER | TOTAL |
|---|----------|--------|---------|-----------|---------|---------|
| ★ OPTIONAL | | 291840 | | 1167358 | | 1459198 |

| | |
|--|---------------------------------|
| Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> .5 | Project No.: M-463 (179) |
|--|---------------------------------|

| | | |
|------------------------------|-------------------------------------|------------------------|
| Signature: <i>Wayne Wood</i> | Title: Street Superintendent | Date: 2/18/2010 |
|------------------------------|-------------------------------------|------------------------|

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

| | | |
|---------|-----------------------|----------|
| County: | City: Ogallala | Village: |
|---------|-----------------------|----------|

Location Description:
East 2nd from East B to East E, and East D from 1st to 3rd street

Existing Surface Type and Structures: *(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)*
concrete

| | |
|---|---|
| Average Daily Traffic: 2007 =, 20 = | Classification Type: <i>(As shown on Functional Classification Map)</i> Collector |
|---|---|

PROPOSED IMPROVEMENT

| | | | |
|-------------------------|------------------|-------------------------|----------------------|
| Design Standard Number: | Surfacing | Thickness: 8" | Width: 40' |
|-------------------------|------------------|-------------------------|----------------------|

| | | | |
|-------------------------------------|---|---|--|
| <input type="checkbox"/> Grading | <input checked="" type="checkbox"/> Concrete | <input type="checkbox"/> Right of Way | <input checked="" type="checkbox"/> Lighting |
| <input type="checkbox"/> Aggregate | <input checked="" type="checkbox"/> Curb & Gutter | <input checked="" type="checkbox"/> Utility Adjustments | <input type="checkbox"/> |
| <input type="checkbox"/> Armor Coat | <input checked="" type="checkbox"/> Drainage Structures | <input type="checkbox"/> Fencing | <input type="checkbox"/> |
| <input type="checkbox"/> Asphalt | <input type="checkbox"/> Erosion Control | <input checked="" type="checkbox"/> Sidewalks | <input type="checkbox"/> |

| | | | |
|----------------------------------|----------------|---------|---------|
| Bridge to Remain in Place | Roadway Width: | Length: | Type: |
| New Bridge | Roadway Width: | Length: | Type: |
| Box Culvert | Span: | Rise: | Length: |
| Culvert | Diameter: | Length: | Type: |

Bridges and Culverts Sized Yes N/A Hydraulic Analysis Pending

Other Construction Features:
remove existing pavements and replace. Replace curb and sidewalks, install handicap ramps. Fix any utility deficiencies

| ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL | ★ COUNTY | ★ CITY | ★ STATE | ★ FEDERAL | ★ OTHER | TOTAL |
|---|----------|--------|---------|-----------|---------|-------|
| | | | | | | |

| | |
|---|------------------------------------|
| Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> .3 mile | Project No.: M-463 (182) |
|---|------------------------------------|

| | | |
|------------------------------|---|-------------------------|
| Signature: Wayne Wood | Title: Street Superintendent S-897 | Date: 12/17/2013 |
|------------------------------|---|-------------------------|

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

| | | |
|---------|-----------------------|----------|
| County: | City: Ogallala | Village: |
|---------|-----------------------|----------|

Location Description:
West A from Railroad to 1st-West A from 1st to 2nd and 2nd from West C to Spruce^t

Existing Surface Type and Structures: *(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)*
Concrete

| | |
|--|---|
| Average Daily Traffic: 20 = , 20 = | Classification Type: <i>(As shown on Functional Classification Map)</i> local |
|--|---|

PROPOSED IMPROVEMENT

| | | | |
|---|------------------|------------|------------------|
| Design Standard Number: Municipal | Surfacing | Thickness: | Width: 40 |
|---|------------------|------------|------------------|

| | | | |
|-------------------------------------|---|---|-----------------------------------|
| <input type="checkbox"/> Grading | <input checked="" type="checkbox"/> Concrete | <input type="checkbox"/> Right of Way | <input type="checkbox"/> Lighting |
| <input type="checkbox"/> Aggregate | <input checked="" type="checkbox"/> Curb & Gutter | <input checked="" type="checkbox"/> Utility Adjustments | <input type="checkbox"/> |
| <input type="checkbox"/> Armor Coat | <input checked="" type="checkbox"/> Drainage Structures | <input type="checkbox"/> Fencing | <input type="checkbox"/> |
| <input type="checkbox"/> Asphalt | <input type="checkbox"/> Erosion Control | <input checked="" type="checkbox"/> Sidewalks | <input type="checkbox"/> |

| | | | |
|----------------------------------|----------------|---------|---------------|
| Bridge to Remain in Place | Roadway Width: | Length: | Type: |
| New Bridge | Roadway Width: | Length: | Type: |
| Box Culvert | Span: | Rise: | Length: Type: |
| Culvert | Diameter: | Length: | Type: |

Bridges and Culverts Sized Yes N/A Hydraulic Analysis Pending

Other Construction Features:
Remove and replace concrete. This is a combination of project M463(151) and M463(137) and redesignated as M463(183)

| ESTIMATED COST <i>(in Thousands)</i> | ★ COUNTY | ★ CITY | ★ STATE | ★ FEDERAL | ★ OTHER | TOTAL |
|---|----------|--------|---------|-----------|---------|-------|
| ★ OPTIONAL | | | | | | |

| | |
|--|-------------------------------|
| Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> .2 | Project No.: M463(183) |
|--|-------------------------------|

| | | |
|------------------------------|----------------------------------|-------------------------|
| Signature: <i>Wayne Wood</i> | Title: Street Supt. S-897 | Date: 12/16/2013 |
|------------------------------|----------------------------------|-------------------------|

mailed to NDOR
3-13-14

Board of Public Roads Classifications and Standards

Form 10 Notification of Revision of One-Year Plan

| | | |
|---------|-----------------------------|----------|
| County: | City: OGALLALA M-463 | Village: |
|---------|-----------------------------|----------|

Reason for Revision:
City Council voted in new streets to accommodate new business location

Location Description:
Oregon trail Drive from Pony Express Road North to end - Pony Express Road from Oregon trail Drive West to end

Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge)
Asphalt - Dirt

| | |
|--|---|
| Average Daily Traffic: 2014 = 0, 2034 = 3000 | Classification Type: (As shown on Functional Classification Map) Other Arterial |
|--|---|

PROPOSED IMPROVEMENT

| | | | |
|-------------------------------------|-----------|-------------------------|----------------------------|
| Design Standard Number: M | Surfacing | Thickness: 8" | Width: 28' / 44' |
|-------------------------------------|-----------|-------------------------|----------------------------|

| | | | |
|---|---|---|-----------------------------------|
| <input checked="" type="checkbox"/> Grading | <input checked="" type="checkbox"/> Concrete | <input type="checkbox"/> Right of Way | <input type="checkbox"/> Lighting |
| <input type="checkbox"/> Aggregate | <input checked="" type="checkbox"/> Curb & Gutter | <input type="checkbox"/> Utility Adjustments | |
| <input type="checkbox"/> Armor Coat | <input type="checkbox"/> Drainage Structures | <input type="checkbox"/> Fencing | |
| <input type="checkbox"/> Asphalt | <input checked="" type="checkbox"/> Erosion Control | <input checked="" type="checkbox"/> Sidewalks | |

| | | | |
|----------------------------------|----------------|---------|---------------|
| Bridge to Remain in Place | Roadway Width: | Length: | Type: |
| New Bridge | Roadway Width: | Length: | Type: |
| Box Culvert | Span: | Rise: | Length: Type: |
| Culvert | Diameter: | Length: | Type: |

Bridges and Culverts Sized Yes N/A Hydraulic Analysis Pending

Other Construction Features:

| ESTIMATED COST (in Thousands) ★ OPTIONAL | ★ COUNTY | ★ CITY | ★ STATE | ★ FEDERAL | ★ OTHER | TOTAL |
|--|----------|------------|---------|-----------|---------|------------|
| | | 829 | | | | 829 |

| | |
|---|-----------------------------------|
| Project Length: (Nearest Tenth, State Unit of Measure) 10.4 | Project No. M-463 (184) |
|---|-----------------------------------|

| | | |
|----------------------------|-------------------------------------|-------|
| Signature: Way Wood | Title: Street Superintendent | Date: |
|----------------------------|-------------------------------------|-------|

